

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER POR PATENTS PO Box (430) Alexandria, Virginia 22313-1450 www.orupo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/740,748	12/19/2003	Tin Qian	M1103.70168US00	4932	
45840 WOLF GREENFIELD (Microsoft Corporation) C/O WOLF, GREENFIELD & SACKS, P.C. 600 ATLANTIC AVENUE BOSTON, MA 02210-2206			EXAM	EXAMINER	
			WANG, HARRIS C		
			ART UNIT	PAPER NUMBER	
			2139		
			MAIL DATE	DELIVERY MODE	
			03/03/2008	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) 10/740,748 QIAN ET AL. Office Action Summary Examiner Art Unit HARRIS C. WANG 2139 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 12 December 2007. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 7 and 11-31 is/are pending in the application. 4a) Of the above claim(s) _____ is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) 7, 11-31 is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) _____ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) ☐ The drawing(s) filed on 19 December 2003 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)

Notice of Draftsperson's Patent Drawing Review (PTO-948)

Information Disclosure Statement(s) (PTO/S5/08)
 Paper No(s)/Mail Date ______.

Paper No(s)/Mail Date.

6) Other:

5) Notice of Informal Patent Application

Page 2

Application/Control Number: 10/740,748

Art Unit: 2139

DETAILED ACTION

1. Claims 7, 11-31 are pending

Response to Arguments

Applicant's arguments filed 12/12/2007 have been fully considered but they are not persuasive.

The Applicant has amended to include the new limitation "wherein the policy engine platform comprises a rule editor that is configured by the first user to perform at least one of deleting, adding, editing the at least one first policy by the first user."

Terzis teaches the policy engine platform comprises a rule editor that is configured by the first user to perform at least one of deleting, adding, editing the at least first policy by the first user. ("The interface between the policy engine and the SNMP agent may be used to add and delete policy objects" Paragraph (10064))

The Applicant has amended to include the limitation "and a setting editor that is configured by the first user to select a security level from the plurality of security levels by the second user." It is unclear in this limitation whether the first user or a second user selects the security level from the plurality of security levels.

Furthermore, support of two users interacting in any way concerning the setting editor does not appear to be supported by the specification.

Pages 31-34 do not disclose "a first user to select a security level from the plurality of security levels by the second user." If the Applicant believes the limitation is

Art Unit: 2139

supported, the Examiner requests that the Applicant refer specifically to the lines that describe the first user, the second user, and the interaction between the two.

Terzis teaches a setting editor that is configured by the first user to select a security level from the plurality of security levels by the second user. ("an operator may be able to enter a set of human readable access rules that define what resources and services are accessible to that user (or machine). According to one embodiment, these human readable access rules are stored as policy objects." Paragraph [0136]) ("the policy engine talks to the components on the data plane to install and remove filters in response to policy rules,"

Paragraph [0062]) ("The policies can be determined both by the identity of the user as well as by the group the user is associated with...Based on the policies associated with that user, a set of specific access rules are generated that enable the subsystems to provide filtering and deny access to prohibited resources and services" Paragraph [0089]) ("The resource access rules are used to control which users have access to what resources. The resource access rules define...permission level" Paragraph [0120]) The Examiner interprets permission level as the security level.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Application/Control Number: 10/740,748
Art Unit: 2139

Claim 7, 11-31 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

Claims 7, 19, 24 recite the limitation "wherein the policy engine platform comprises a rule editor that is configured by the first user to perform at least one of deleting, adding, editing the at least one first policy by the first user."

Throughout the specification the Applicant has referred to an advanced user that defines traditional packet-centric policies, as well as a less advanced user to develop policy based on application centric policies (Applicants Specification Paragraph [0010]).

However pages 31-34 do not disclose "a first user to select a security level from the plurality of security levels by the second user."

Claims 11-18, 20-23, 25-31 are dependent on the above claims and are rejected for the same rationale.

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 7, 11-31 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Art Unit: 2139

Claims 7, 19, 24 recite the limitation "wherein the policy engine platform comprises a rule editor that is configured by the first user to perform at least one of deleting, adding, editing the at least one first policy by the first user."

It is unclear in this limitation whether the first user or a second user selects the security level from the plurality of security levels.

Claims 11-18, 20-23, 25-31 are dependent on the above claims and are rejected for the same rationale.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior at are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Art Unit: 2139

Claims 7-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Terzis (20040243835) in view of Lambert (20020099952).

Regarding Claim 7,

Terzis teaches an object model for managing a service on a computer, the object

model comprising:

A policy object model for specifying

by a first user, at least one first policy that the service supports in a packet-

centric form ("the subsystems include a firewall...The firewall operates at layer 4

(transport)...The firewall serves to prevent unauthorized access of a network...by filtering out

packets that originate from unauthorized users or sources. Performing filtering of packets can

be effective in deterring certain types of unauthorized access attempts, but requires inspection

of each packet" Paragraph [0089]) ("The resource access rules are used to control which

users have access to what resources. The resource access rules define priority...The priority

assigns a priority to the rule as each new incoming flow is evaluated against each of the policy

rules according to their priority" Paragraph [0120]) and

by a second user, at least one second policy by selecting a security level from a

plurality of security levels, with each security level from the plurality of security levels

being previously set for a specified user ("the policy engine talks to the components on the

data plane to install and remove filters in response to policy rules," Paragraph [0062]) ("The

Art Unit: 2139

policies can be determined both by the identity of the user as well as by the group the user is associated with ...Based on the policies associated with that user, a set of specific access rules are generated that enable the subsystems to provide filtering and deny access to prohibited resources and services" Paragraph [0089]) ("The resource access rules are used to control which users have access to what resources. The resource access rules define...permission level" Paragraph [0120]) The Examiner interprets permission level as the security level.

A policy engine platform for interacting of the first user with the at least one first policy and of the second user with the at least one second policy, and to provide the at least one first policy and the at least one second policy to at least one component that performs the service.

("The policy interpreter interfaces to the SNMP Agent," Paragraph [0064], Fig 7.)

The Examiner interprets the policy object model as the "policy engine" and policy engine platform as "policy interpreter."

As seen in Fig. 7, the Policy Interpreter acts as an intermediary between the SNMP agent and the Policy engine. Because the purpose of a SNMP agent is to facilitate information between network components and the purpose of the policy engine is to provide policies, it is inherent that the policy interpreter will provide one or more policies of which one will actually perform the service.

Terzis teaches the policy engine platform comprises a rule editor that is configured by the first user to perform at least one of deleting, adding, editing the at least first policy by the first user. ("The interface between the policy engine and the SNMP agent may be used to add and delete policy objects" Paragraph (0064))

Art Unit: 2139

Terzis teaches a setting editor that is configured by the first user to select a security level from the plurality of security levels for the second user. ("an operator may be able to enter a set of human readable access rules that define what resources and services are accessible to that user (or machine). According to one embodiment, these human readable access rules are stored as policy objects." Paragraph [0136]) ("the policy engine talks to the components on the data plane to install and remove filters in response to policy rules," Paragraph [0062]) ("The policies can be determined both by the identity of the user as well as by the group the user is associated with...Based on the policies associated with that user, a set of specific access rules are generated that enable the subsystems to provide filtering and deny access to prohibited resources and services" Paragraph [0089]) ("The resource access rules are used to control which users have access to what resources. The resource access rules define ...permission level" Paragraph [0120]) The Examiner interprets permission level as the security level.

Terzis does not explicitly teach if it has been determined that the first user is authorized to perform the specification by comparing a rank of the first user against a permitted rank. The Examiner interprets a permitted rank as the priority level, as described by the Applicant in pg. 8 of Remarks, "A policy provider is associated with a particular priority class or level" (Paragraph [0051] of Specification).

Lambert teaches determining whether a first user is authorized to perform the specification by comparing a rank of the first user to a permitted rank before specifying a policy. ("the group policy objects...may be provided by administrators per site, domain, organizational unit, group and user. Among other things, group policy technology also provides

a flexible and hierarchical way in which each administrator can establish which policies will win out over others if multiple policies conflict. For example, site policies can be set up to prevail over domain policies, which in turn can be set up to prevail over organizational unit policies...."

Paragraph [0080])

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the object model of Terzis with the policy provider priority ranking system of Lambert.

The motivation is that Lambert teaches a well known way to deal with conflicts with group policy objects.

Regarding Claims 11 and 12,

Terzis and Lambert teach the object model of claim 7, Terzis further teaches wherein the policy engine platform comprises a setting editor configured to automatically generate a policy based upon an application and user combination, wherein the setting editor generates a plurality of policies, and is further configured to permit said second user to select from the plurality of policies.

("After a user has successfully logged [in]...the Launch-pad module may contact the policy engine to receive the list of resources that are available to that user...Once fount the policy user may return each of the resources in those rules back to the Launch-pad module, Paragraph [0065])

Art Unit: 2139

Where the Launch-pad is defined as a user interface in Paragraph 100. The launch pad screen is capable of displaying "applications...that are specifically made available to that user (Paragraph 106).

The Examiner interprets the second user to be an administrator that implements user-centric policies. (The resource access rules are used to control which users have access to what resources. Paragraph [0120])

Regarding Claim 13,

Terzis and Lambert teach the object model of claim 12, Terzis further teaches wherein the setting editor is further configured by said second user_to permit setting one of the plurality of policies as a default policy.

("generating, based on the access policies, at least one access rule for each of a plurality of security system sublayers," Claim 1)

The Examiner interprets the at least one access rule as the default policy.

The Examiner interprets the second user to be an administrator that implements user-centric policies. (The resource access rules are used to control which users have access to what resources. Paragraph [0120])

Regarding Claim 14,

Terzis and Lambert teach the object model of claim 7, Terzis further teaches wherein the policy engine platform comprises a rule explorer for providing a view of the at least one first policy and the at least one second policy.

Because the policy interpreter interfaces between the SNMP agent and the policy engine (Fig. 7) it is inherent that there will be a component that allows a view of one or more of the policies.

Regarding Claim 15,

Terzis and Lambert teach the object model of claim 7, Terzis further teaches wherein the policy object model comprises a policyrule object usable to generate policy, the policyrule object comprising a condition property and an action property, wherein a policy generated by the policyrule object is configured to perform an action in the action property responsive to a condition in the condition property being met. (Fig. 6, 670)

Regarding Claim 16,

Terzis and Lambert teach the object model of claim 7, Terzis further teaches wherein the service is a firewall service. ("According to one embodiment the rules are generated and installed at the firewall level" Paragraph (0019).

Art Unit: 2139

Regarding Claim 17,

Terzis and Lambert teach the object model of claim 7, Terzis further teaches wherein the policy engine platform is configured to deny providing said one or more policies to the component if a requester is not authorized. ("Based on the policies associated with that user, a set of specific access rules are generated that enable the subsystems to provide filtering and deny access to prohibited resources and services." Paragraph [0088])

Regarding Claim 18,

Terzis and Lambert teach the object model of claim 17, Terzis further teaches wherein determining whether a requester is authorized comprises comparing a provider rank for the requester against a permitted rank, and if the provider rank for the requestor does not meet or exceed the permitted rank, denying the requester. (Fig 6. 675, PermissionLevel)

The Examiner interprets the parameter PermissionLevel under the Resource Access Rules as rank. Where the PermissionLevel is checked against a permitted PermissionLevel and if the PermissionLevel does not meet or exceed the permitted rank, to deny the requestor.

Regarding Claim 19,

Art Unit: 2139

Terzis and Lambert teach a method of managing a service on a computer, the method comprising:

specifying, via a policy object model, by a first user, one or more policies that the service supports in a packet-centric form ("the subsystems include a firewall....The firewall operates at layer 4 (transport)...The firewall serves to prevent unauthorized access of a network...by filtering out packets that originate from unauthorized users or sources. Performing filtering of packets can be effective in deterring certain types of unauthorized access attempts, but requires inspection of each packet" Paragraph [0089]), and, by a second user, at least one second policy by selecting a security level from a plurality of security levels, with each security level from the plurality of security levels being previously set for a specified application and a specified user; ("The policy engine talks to the components on the data plane to install and remove filters in response to policy rules," Paragraph [0062]) ("The resource access rules are used to control which users have access to what resources. The resource access rules define...permission level" Paragraph [0120]) The Examiner interprets permission level as the security level.

and interacting, via a policy engine platform, of said first user at least one first policy specified in said packet-centric form, and of said second user with said one or more policies specified in said user-centric form and/or said application-centric form; ("the Launch-pad module may contact the policy engine to receive the list of resources that are available" Paragraph [0065]) ("The resource access rules are used to control which users have access to what resources. The resource access rules define...permission level" Paragraph [0120]) The Examiner interprets permission level as the security level.

Art Unit: 2139

and providing, via the policy engine platform, said one or more policies to said at least one component that actually performs the service. ("Once found the policy engine may return each of the resources in those rules back to the Launch-pad module" Paragraph (0065))

Terzis teaches "the subsystems include a firewall...The firewall operates at layer 4 (transport)...The firewall serves to prevent unauthorized access of a network...by filtering out packets that originate from unauthorized users or sources. Performing filtering of packets can be effective in deterring certain types of unauthorized access attempts, but requires inspection of each packet. (Paragraph [0089])." Terzis further teaches ""The policies can be determined both by the identity of the user as well as by the group the user is associated with...Based on the policies associated with that user, a set of specific access rules are generated that enable the subsystems to provide filtering and deny access to prohibited resources and services" Paragraph [0089])

The Examiner interprets the first user to be an administrator that implements packet-centric policies. (The security rules 690 may describe how packets matching the source, destination objects should be secured. Paragraph [0130])

The Examiner interprets the second user to be an administrator that implements user-centric policies. (The resource access rules are used to control which users have access to what resources. Paragraph [0120])

Terzis teaches the policy engine platform comprises a rule editor that is configured by the first user to perform at least one of deleting, adding, editing the at least first policy by the first user. ("The interface between the policy engine and the SNMP agent may be used to add and delete policy objects" Paragraph (0064))

Art Unit: 2139

Terzis teaches a setting editor that is configured by the first user to select a security level from the plurality of security levels for the second user. ("an operator may be able to enter a set of human readable access rules that define what resources and services are accessible to that user (or machine). According to one embodiment, these human readable access rules are stored as policy objects." Paragraph [0136]) ("the policy engine talks to the components on the data plane to install and remove filters in response to policy rules,"

Paragraph [0062]) ("The policies can be determined both by the identity of the user as well as by the group the user is associated with...Based on the policies associated with that user, a set of specific access rules are generated that enable the subsystems to provide filtering and deny access to prohibited resources and services" Paragraph [0089]) ("The resource access rules are used to control which users have access to what resources. The resource access rules define ...permission level" Paragraph [0120]) The Examiner interprets permission level as the security level.

Terzis does not explicitly teach if it has been determined that the first user is authorized to perform the specification by comparing a rank of the first user against a permitted rank. The Examiner interprets a permitted rank as the priority level, as described by the Applicant in pg. 8 of Remarks, "A policy provider is associated with a particular priority class or level" (Paragraph [0051] of Specification).

Lambert teaches determining whether a first user is authorized to perform the specification by comparing a rank of the first user to a permitted rank before specifying a policy. ("the group policy objects...may be provided by administrators per site, domain, organizational unit, group and user. Among other things, group policy technology also provides a flexible and hierarchical way in which each administrator can establish which policies will win

Art Unit: 2139

out over others if multiple policies conflict. For example, site policies can be set up to prevail over domain policies, which in turn can be set up to prevail over organizational unit policies...."

Paragraph [0080])

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the object model of Terzis with the policy provider priority ranking system of Lambert.

The motivation is that Lambert teaches a well known way to deal with conflicts with group policy objects.

Regarding Claim 20,

Terzis and Lambert teach the method of claim 19, Terzis further teaches further comprising automatically generating a policy based upon an application and user combination. "After a user has successfully logged into the MACSS, the Launch-pad module may contact the policy engine to receive the list of resources that are available to that user," Paragraph [0065])

Regarding Claim 21,

Terzis and Lambert teach the method of claim 20, Terzis further teaches further comprising generates a plurality of policies, and permitting a user to select from the

Art Unit: 2139

plurality of policies. ("Once found the policy engine may return each of the resources in those

rules back to the Launch-pad module" Paragraph [0065])

As described before the Launch-pad module is a user interface. Examples can

be found in Fig. 4 and Fig. 5.

Regarding Claim 22,

Terzis and Lambert teach the method of claim 21, Terzis further teaches further

comprising setting one of the plurality of policies as a default policy. ("generating, based

on the access policies, at least one access rule for each of a plurality of security system

sublayers," Claim 1)

The Examiner interprets the at least one access rule as the default policy.

Regarding Claim 23,

Terzis and Lambert teach the method of claim 22, Terzis further teaches further

comprising authorizing a user prior to allowing the user to select the at least one policy

from the plurality of policies.

It is inherent that the system administrator is authorized prior to selecting one

policy from a plurality of policies. ("A system administrator uses user interfaces...to create

access/security rules that allow users access to specific network resources based on a variety

of parameters" Paragraph [0056])

Art Unit: 2139

Regarding Claim 24,

Terzis and Lambert teach an object model embodied on a computer-readable medium for managing a firewall service on a computer, the object model comprising a policy object model used to specify, by a first user, one or more policies that the firewall service supports in a packet-centric form, and, by a second user at least one second policy by selectin g a security level from a plurality of security levels, with each security level from the plurality of security levels being previously set for a specified application and a specified user ("The resource access rules are used to control which users have access to what resources. The resource access rules define...permission level" Paragraph [0120], The Examiner interprets permission level as the security level), the policy model comprising a policyrule object usable to generate policy (Fig. 6, PolicyRule, 670), the policyrule object comprising a condition property and an action property, wherein a policy generated by the policyrule object is configured to perform an action in the action property responsive to a condition in the condition property being met.

It is inherent that the policy rule is configured to perform an action responsive to a condition being met.

Terzis teaches "the subsystems include a firewall...The firewall operates at layer 4 (transport)...The firewall serves to prevent unauthorized access of a network...by filtering out packets that originate from unauthorized users or sources. Performing filtering of packets can be effective in deterring certain types of unauthorized access attempts, but requires inspection of each packet. (Paragraph [0089])." Terzis further teaches ""The policies can be determined both by the identity of the user as well as by the group the user is associated with...Based on

Art Unit: 2139

the policies associated with that user, a set of specific access rules are generated that enable the subsystems to provide filtering and deny access to prohibited resources and services"

Paragraph [0089])

The Examiner interprets the first user to be an administrator that implements packet-centric policies. (The security rules 690 may describe how packets matching the source, destination objects should be secured. Paragraph [0130])

The Examiner interprets the second user to be an administrator that implements user-centric policies. (The resource access rules are used to control which users have access to what resources. Paragraph [0120])

Terzis teaches the policy engine platform comprises a rule editor that is configured by the first user to perform at least one of deleting, adding, editing the at least first policy by the first user. ("The interface between the policy engine and the SNMP agent may be used to add and delete policy objects" Paragraph [0064])

Terzis teaches a setting editor that is configured by the first user to select a security level from the plurality of security levels for the second user. ("an operator may be able to enter a set of human readable access rules that define what resources and services are accessible to that user (or machine). According to one embodiment, these human readable access rules are stored as policy objects." Paragraph [0136]) ("the policy engine talks to the components on the data plane to install and remove filters in response to policy rules,"

Paragraph [0062]) ("The policies can be determined both by the identity of the user as well as by the group the user is associated with...Based on the policies associated with that user, a set of specific access rules are generated that enable the subsystems to provide filtering and deny access to prohibited resources and services" Paragraph [0089]) ("The resource access rules are used to control which users have access to what resources. The resource access rules

Art Unit: 2139

define...permission level" Paragraph [0120]) The Examiner interprets permission level as the security level.

Terzis does not explicitly teach if it has been determined that the first user is authorized to perform the specification by comparing a rank of the first user against a permitted rank. The Examiner interprets a permitted rank as the priority level, as described by the Applicant in pg. 8 of Remarks, "A policy provider is associated with a particular priority class or level" (Paragraph [0051] of Specification).

Lambert teaches determining whether a first user is authorized to perform the specification by comparing a rank of the first user to a permitted rank before specifying a policy. ("the group policy objects...may be provided by administrators per site, domain, organizational unit, group and user. Among other things, group policy technology also provides a flexible and hierarchical way in which each administrator can establish which policies will win out over others if multiple policies conflict. For example, site policies can be set up to prevail over domain policies, which in turn can be set up to prevail over organizational unit policies...." Paragraph (00801)

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the object model of Terzis with the policy provider priority ranking system of Lambert.

The motivation is that Lambert teaches a well known way to deal with conflicts with group policy objects.

Regarding Claim 25,

Art Unit: 2139

Terzis and Lambert teach the object model of claim 24, Terzis further teaches further comprising an IPSecRule derived from the policyrule object, the IPSecRule being configured to trigger an IPSec callout when an IPSec condition is matched, and to indicate configuration parameters for securing traffic related to the callout. (Fig. 14, 1440).

The services dispatcher connects to the launch-pad which connects to the policy engine.

Regarding Claim 26,

Terzis and Lambert teach the object model of claim 25, Terzis further teaches wherein the IPSecRule evaluates a standard 5-tuple to determine if a condition has been met. (Fig. 11)

Regarding Claim 27,

Terzis and Lambert teach the object model of claim 24, Terzis further teaches further comprising a KeyingModuleRule derived from the policyrule object, the KeyingModuleRule being configured to select which key negotiation module to use when there is no existing secure channel to a remote peer.

Art Unit: 2139

("The key exchange field specifies how keys are exchanged and determines what key parameters will be used." Paragraph [0130])

The Examiner interprets key negotiation as key exchange. The Examiner notes that the key exchange field is part of the security rules, which is part of the policy rules.

Regarding Claim 28,

Terzis and Lambert teach the object model of claim 27, Terzis further teaches wherein the KeyingModuleRule evaluates a standard 5-tuple to determine if a condition has been met. (Fig. 11)

Regarding Claim 29,

Terzis and Lambert teach the object model of claim 24, Terzis further teaches further comprising a IKERule derived from the policyrule object and configured to specify the parameters for carrying out Internet Key Exchange key negotiation protocol. (Fig. 14, IKE)

Regarding Claim 30,

Art Unit: 2139

Terzis and Lambert teach the object model of claim 29, Terzis further teaches wherein the IKERule evaluates a local address and a remote address to determine if a condition has been met. This step is inherent in IKE protocol.

Regarding Claim 31.

Terzis and Lambert teach the object model of claim 29, Terzis further teaches wherein the IKERule comprises an IKEAction action property that defines the authentication methods for performing Internet Key Exchange key negotiation protocol. ("The key exchange field specifies how keys are exchanged and determines what key parameters will be used." Paragraph [0130])

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Art Unit: 2139

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to HARRIS C. WANG whose telephone number is (571)270-1462. The examiner can normally be reached on M-F 9-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, KRISTINE KINCAID can be reached on (571) 272-4063. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

HCW

/Kristine Kincaid/ Supervisory Patent Examiner, Art Unit 2139